

PATENT

C-3182/03

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF

SIKORSKI ET AL

SERIAL NUMBER: NOT YET ASSIGNED

FILED: 12 DEC 01

GROUP ART UNIT: 1624

EXAMINER: RICHARD L. RAYMOND

DATE: 12 DEC 01

TITLE: **(R)-CHIRAL HALOGENATED SUBSTITUTED N,N-Bis-PHENYL  
AMINOALCOHOL COMPOUNDS USEFUL FOR INHIBITING  
CHOLESTERYL ESTER TRANSFER PROTEIN ACTIVITY**

I hereby certify that this correspondence is being  
deposited with the United States Postal Service as  
Express Mail in an envelope addressed to:  
Commissioner of Patents and Trademarks,  
Washington D.C., 20231 on 12 DEC 01  
Registration No. 27,808  
J. Timothy Keane

Date: 12 Dec 01

PRELIMINARY AMENDMENT

TO THE COMMISSIONER OF PATENTS AND TRADEMARKS

SIR:

Please amend the subject patent application as follows:

IN THE SPECIFICATION

Delete the originally-filed "Abstract" and replace with a  
new -- Abstract --, attached hereto.

On page 1, delete the "Title", insert a new "Title" as  
follows: -- (R)-CHIRAL HALOGENATED SUBSTITUTED N,N-Bis-PHENYL  
AMINOALCOHOL COMPOUNDS USEFUL FOR INHIBITING CHOLESTERYL ESTER  
TRANSFER PROTEIN ACTIVITY. --

On page 1, after the "Title", insert the following:

**-- RELATED APPLICATIONS**

This is a divisional of pending U.S. patent application  
Serial No. 09/401,915, filed 23 September 1999. --

**IN THE CLAIMS**

Cancel Claims 1-67, without prejudice.

Add new Claims 68-98, attached hereto as Appendix A.

\* \* \*

**REMARKS**

Originally-filed Claims 1-67 are now cancelled, without  
prejudice, in favor of new Claims 68-98.

New Claims 68-98 are now in this application as the only  
pending claims. These new claims are now introduced in response  
to a Restriction Requirement originally imposed by the Patent  
Office in parent Application Ser. No. 09/401,915 [Paper No. 8].

In Paper No. 8, Restriction has been imposed among the  
following groups of subject matter:

**Group I:** Claims 1-67 (part), drawn to chiral benzyl phenyl  
aminoalcohols, classified in class 514, subclass 655.

**Group II:** Claims 1-67 (part), drawn to chiral bis-benzyl aminoalcohols, classified in class 514, subclass 655.

**Group III:** Claims 1-67 (part), drawn to chiral bis-phenyl aminoalcohols, classified in class 514, subclass 658.

**Group IV:** Claims 1-67 (part), drawn to chiral phenoxy phenyl aminoalcohols, classified in class 514, subclass 645.

**Group V:** Claims 1-67 (part), drawn to chiral fused heterocyclic compounds, classified in class 514, subclass 230.5.

**Group VI:** Claims 1-67 (part), drawn to chiral heteroaryl benzyl aminoalcohols, classified in class 514, subclass 241.

In Applicants' response dated 29 October 2001, Applicants elected, with traverse, Group I subject matter. New independent generic Claims 68, 77 and 86 read on this elected species compound #8. This Group I subject matter is now covered in a divisional application to be co-filed with this present application. In this present application, new Claims 68-98 cover subject matter corresponding to previously non-elected Group III.

\* \* \*

New Claims 68-98 define compound-per-se, composition and method-of-use subject matter containing chemical recitations consistent with Group III of Examiner's Restriction Requirement.

Support for new Claims 68-98 is found in originally-filed Claims 1-67. No new matter has been added.

\* \* \*

The specification has been amended to include a new Title and Abstract consistent with the subject matter of new Claims 68-98.

Also, the specification has been amended at page 1 to identify the subject application as a divisional of parent Application Ser. No. 09/401,915 filed 23 September 1999.

\* \* \*

In co-pending Application Ser. No. 09/405,524, the originally filed claims therein were rejected under 35 U.S.C. §112, second paragraph, as having improper dependencies among compound, composition and method-of-use claims [Paper No. 12 of U.S. Application Ser. No. 09/405,524]. The recent Office Action in the present application urges applicants to keep this §112 rejection in mind when filing any new claims in the present application.

Accordingly, new Claims 68-98 have been written to avoid these rejections under U.S.C. §112, second paragraph, and thus such §112 rejections should not be asserted against new Claims 68-98.

\* \* \*


An Information Disclosure Statement under 37 CFR 1.97-1.99 will be filed along with references discussed with Examiner during a personal interview (4 April 2001) related to parent Application Ser. No. 09/401,915, shortly after Serial Number and

filing date information is received by applicants for the present  
divisional application.

\* \* \*

In view of foregoing remarks, new Claims 68-98 should be in  
condition for allowance.

Respectfully submitted,


  
J. Timothy Keane  
Attorney for Applicants  
Registration No. 27,808  
314-694-9090

Pharmacia Corporation  
Corporate Patent Department  
800 North Lindbergh Blvd.  
Mail Zone O4E  
St. Louis, MO 63167

Appendix A: New Claims 68-98

What we claim is:


68. A compound of Formula I:



or a pharmaceutically acceptable salt thereof, wherein;

$n$  is 1 or 2;

$R_1$  is haloalkyl or haloalkoxyalkyl with the proviso that  $R_1$  is selected to have the highest Cahn-Ingold-Prelog stereochemical system ranking of three groups bonded to the hydroxy-substituted carbon to which  $R_1$  and  $R_2$  are attached in radical Ia:



which radical Ia is a fragment of Formula I;

$R_2$  is selected from the group consisting of hydrido, aryl, aralkyl, alkyl, alkenyl, alkenyloxyalkyl, haloalkyl, haloalkenyl, halocycloalkyl, haloalkoxyalkyl, haloalkenyloxyalkyl, halocycloalkoxy, halocycloalkoxyalkyl,

perhaloaryl, perhaloaralkyl, perhaloaryloxyalkyl, heteroaryl, dicyanoalkyl, and carboalkoxycyanoalkyl;

- $R_3$  is selected from the group consisting of hydrido, hydroxy, cyano, aryl, aralkyl, acyl, alkoxy, alkyl, alkenyl, alkoxyalkyl, heteroaryl,
- 5 alkenyloxyalkyl, haloalkyl, haloalkenyl, haloalkoxy, haloalkoxyalkyl, haloalkenyloxyalkyl, monocyanoalkyl, dicyanoalkyl, carboxamido, and carboxamidoalkyl;

$R_4$ ,  $R_8$ ,  $R_9$ , and  $R_{13}$  are independently selected from the group consisting of hydrido, halo, haloalkyl, and alkyl;

- 10  $R_5$ ,  $R_6$ ,  $R_7$ ,  $R_{10}$ ,  $R_{11}$ , and  $R_{12}$  are independently selected from the group consisting of hydrido, perhaloaryloxy, alkanoylalkyl, alkanoylalkoxy, alkanoyloxy, N-aryl-N-alkylamino, heterocyclylalkoxy, heterocyclylthio, hydroxyalkoxy, carboxamidoalkoxy, alkoxycarbonylalkoxy, alkoxycarbonylalkenyloxy, aralkanoylalkoxy, aralkenoyl,
- 15 N-alkylcarboxamido, N-haloalkylcarboxamido, N-cycloalkylcarboxamido, N-arylcarboxamidoalkoxy, cycloalkylcarbonyl, cyanoalkoxy, heterocyclylcarbonyl, carboxy, heteroaralkylthio, heteroaralkoxy, cycloalkylamino, acylalkyl, acylalkoxy, aroylalkoxy, heterocyclyloxy, aralkylaryl, aralkyl, aralkenyl, aralkynyl, heterocyclyl, haloalkylthio,
- 20 alkanoyloxy, alkoxy, alkoxyalkyl, cycloalkoxy, cycloalkylalkoxy, hydroxy, amino, thio, nitro, alkylamino, alkylthio, arylamino, aralkylamino, arylthio, arylthioalkyl, alkylsulfonyl, alkylsulfonamido, monoarylamidosulfonyl, arylsulfonyl, heteroarylthio, heteroarylsulfonyl, heterocyclylsulfonyl, heterocyclylthio, alkanoyl, alkenoyl, aroyl, heteroaroyl, aralkanoyl,
- 25 heteroaralkanoyl, haloalkanoyl, alkyl, alkenyl, alkynyl, alkenyloxy, alkylenedioxy, haloalkylenedioxy, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, hydroxyalkyl, aryl, aryloxy, aralkoxy, saturated heterocyclyl, heteroaryl, heteroaryloxy, heteroaryloxyalkyl, heteroaralkyl, arylalkenyl, carboalkoxy, alkoxycarboxamido,
- 30 alkylamidocarbonylamido, arylamidocarbonylamido, carboalkoxyalkyl, carboalkoxyalkenyl, carboxamido, carboxamidoalkyl, and cyano;

$R_5$  and  $R_6$  are optionally taken together to form a ring selected from the group consisting of a cycloalkenyl ring having 5 through 8 members, a partially

saturated heterocyclyl ring having 5 through 8 members, a heteroaryl ring having 5 or 6 members, and an aryl ring, wherein said cycloalkenyl ring, said partially saturated heterocyclyl ring, said heteroaryl ring, and said aryl are optionally substituted by one or more substituents selected from the group

5 consisting of  $R_{10}$ ,  $R_{11}$ , and  $R_{12}$ ;

$R_{10}$  and  $R_{11}$  are optionally taken together to form a ring selected from the group consisting of a cycloalkenyl ring having 5 through 8 members, a partially saturated heterocyclyl ring having 5 through 8 members, a heteroaryl ring having 5 or 6 members, and an aryl ring, wherein said cycloalkenyl ring, said partially saturated heterocyclyl ring, said heteroaryl ring, and said aryl is optionally substituted by one or more substituents selected from the group consisting of  $R_5$ ,  $R_6$ , and  $R_7$ ;

with the proviso that the groups  $R_5$  and  $R_6$  and the groups  $R_{10}$  and

$R_{11}$  are not simultaneously taken together to form two rings;

15 with the further proviso that at least one of  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ , and  $R_8$  is not hydrido or with the further proviso that at least one of  $R_9$ ,  $R_{10}$ ,  $R_{11}$ ,  $R_{12}$ , and  $R_{13}$  is not hydrido.

20 69. Compound of Claim 68 or a pharmaceutically acceptable salt thereof, wherein at least one of  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ , and  $R_8$  is not hydrido and at least one of  $R_9$ ,  $R_{10}$ ,  $R_{11}$ ,  $R_{12}$ , and  $R_{13}$  is not hydrido.

25 70. Compound of Claim 69 or a pharmaceutically acceptable salt thereof, wherein;  
n is 1 or 2;



- $R_1$  is haloalkyl or haloalkoxyalkyl with the proviso that  $R_1$  is selected to have the highest Cahn-Ingold-Prelog stereochemical system ranking of said three groups bonded to the hydroxy-substituted carbon to which  $R_1$  and  $R_2$  are attached in said fragment of the Formula I and with the further proviso that said
- 5 haloalkyl has two or more halo substituents;

$R_2$  is hydrido;

$R_3$  is hydrido;

$R_4$ ,  $R_8$ ,  $R_9$ , and  $R_{13}$  are independently hydrido or halo;

- $R_5$ ,  $R_6$ ,  $R_7$ ,  $R_{10}$ ,  $R_{11}$ , and  $R_{12}$  are independently selected from the
- 10 group consisting of hydrido, perhaloaryloxy, N-aryl-N-alkylamino, heterocyclalkoxy, heterocyclalthio, hydroxyalkoxy, carboxamidoalkoxy, alkoxy-carbonylalkoxy, alkoxy-carbonylalkenyloxy, aralkanoylalkoxy, aralkenoyl, N-arylcarboxamidoalkoxy, cycloalkylcarbonyl, cyanoalkoxy, heterocyclcarbonyl, heteroaralkoxy, heterocyclloxy, aralkylaryl, aralkyl,
- 15 haloalkylthio, alkoxy, cycloalkoxy, cycloalkylalkoxy, alkylamino, alkylthio, arylamino, arylthio, arylsulfonyl, heteroarylthio, heteroarylsulfonyl, aroyl, alkyl, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, aryl, aryloxy, aralkoxy, saturated heterocycl, heteroaryl, heteroaryloxyalkyl, and heteroaryloxy;
- 20 with the proviso that at least one of  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ , and  $R_8$  is not hydrido and with the further proviso that at least one of  $R_9$ ,  $R_{10}$ ,  $R_{11}$ ,  $R_{12}$ , and  $R_{13}$  is not hydrido.

- 25 71. Compound of Claim 70 or a pharmaceutically acceptable salt thereof, wherein;
- $n$  is 1;
- $R_1$  is selected from the group consisting of trifluoromethyl,

1,1,2,2-tetrafluoroethoxymethyl, trifluoromethoxymethyl, difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

$R_2$  is hydrido;

$R_3$  is hydrido;

5  $R_4$ ,  $R_8$ ,  $R_9$ , and  $R_{13}$  are independently hydrido or fluoro;

$R_5$  and  $R_{10}$  are independently selected from the group consisting of

- 4-aminophenoxy, benzoyl, benzyl, benzyloxy, 5-bromo-2-fluorophenoxy,
- 4-bromo-3-fluorophenoxy, 4-bromo-2-nitrophenoxy, 3-bromobenzyloxy,
- 4-bromobenzyloxy, 4-bromophenoxy, 5-bromopyrid-2-yloxy,
- 10 4-butoxyphenoxy, chloro, 3-chlorobenzyl, 2-chlorophenoxy,
- 4-chlorophenoxy, 4-chloro-3-ethylphenoxy, 3-chloro-4-fluorobenzyl,
- 3-chloro-4-fluorophenyl, 3-chloro-2-fluorobenzyloxy, 3-chlorobenzyloxy,
- 4-chlorobenzyloxy, 4-chloro-3-methylphenoxy, 2-chloro-4-fluorophenoxy,
- 4-chloro-2-fluorophenoxy, 4-chlorophenoxy, 3-chloro-4-ethylphenoxy,
- 15 3-chloro-4-methylphenoxy, 3-chloro-4-fluorophenoxy,
- 4-chloro-3-fluorophenoxy, 4-chlorophenylamino, 5-chloropyrid-3-yloxy,
- 2-cyanopyrid-3-yloxy, 4-cyanophenoxy, cyclobutoxy, cyclobutyl, cyclohexoxy,
- cyclohexylmethoxy, cyclopentoxo, cyclopentyl, cyclopentylcarbonyl,
- cyclopropyl, cyclopropylmethoxy, cyclopropoxy,
- 20 2,3-dichlorophenoxy, 2,4-dichlorophenoxy, 2,4-dichlorophenyl,
- 3,5-dichlorophenyl, 3,5-dichlorobenzyl, 3,4-dichlorophenoxy,
- 3,4-difluorophenoxy, 2,3-difluorobenzyloxy, 2,4-difluorobenzyloxy,
- 3,4-difluorobenzyloxy, 2,5-difluorobenzyloxy, difluoromethoxy,
- 3,5-difluorophenoxy, 3,4-difluorophenyl, 3,5-difluorobenzyloxy,
- 25 4-difluoromethoxybenzyloxy, 2,3-difluorophenoxy, 2,4-difluorophenoxy,
- 2,5-difluorophenoxy, 3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy,
- 3,5-dimethylphenoxy, 3,4-dimethylphenoxy, 3,4-dimethylbenzyl,
- 3,4-dimethylbenzyloxy, 3,5-dimethylbenzyloxy, 2,2-dimethylpropoxy,
- 1,3-dioxan-2-yl, 1,4-dioxan-2-yl, 1,3-dioxolan-2-yl, ethoxy,
- 30 4-ethoxyphenoxy, 4-ethylbenzyloxy, 3-ethylphenoxy, 4-ethylaminophenoxy,
- 3-ethyl-5-methylphenoxy, fluoro, 4-fluoro-3-methylbenzyl,
- 4-fluoro-3-methylphenyl, 4-fluoro-3-methylbenzoyl, 4-fluorobenzyloxy,
- 2-fluoro-3-methylphenoxy, 3-fluoro-4-methylphenoxy,

- 3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,  
 2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,  
 4-fluoro-2-trifluoromethylbenzyloxy, 4-fluoro-3-trifluoromethylbenzyloxy,  
 2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,  
 5 2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,  
 4-fluoropyrid-2-yloxy, 2-furyl, 3-furyl, heptafluoropropyl,  
 1,1,1,3,3,3-hexafluoropropyl, 2-hydroxy-3,3,3-trifluoropropoxy,  
 3-iodobenzyloxy, isobutyl, isobutylamino, isobutoxy, 3-isoxazolyl,  
 4-isoxazolyl, 5-isoxazolyl, isopropoxy, isopropyl, 4-isopropylbenzyloxy,  
 10 3-isopropylphenoxy, 4-isopropylphenoxy, isopropylthio,  
 4-isopropyl-3-methylphenoxy, 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl,  
 3-methoxybenzyl, 4-methoxycarbonylbutoxy,  
 3-methoxycarbonylprop-2-enyloxy, 4-methoxyphenyl,  
 3-methoxyphenylamino, 4-methoxyphenylamino, 3-methylbenzyloxy,  
 15 4-methylbenzyloxy, 3-methylphenoxy, 3-methyl-4-methylthiophenoxy,  
 4-methylphenoxy, 1-methylpropoxy, 2-methylpyrid-5-yloxy,  
 4-methylthiophenoxy, 2-naphthyl, 2-nitrophenoxy, 4-nitrophenoxy,  
 3-nitrophenyl, 4-nitrophenylthio, 2-oxazolyl, 4-oxazolyl, 5-oxazolyl,  
 pentafluoroethyl, pentafluoroethylthio, 2,2,3,3-pentafluoropropyl,  
 20 1,1,3,3,3-pentafluoropropyl, 1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino,  
 1-phenylethoxy, phenylsulfonyl, 4-propanoylphenoxy, propoxy,  
 4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, sec-butyl,  
 4-sec-butylphenoxy, tert-butoxy, 3-tert-butylphenoxy, 4-tert-butylphenoxy,  
 1,1,2,2-tetrafluoroethoxy, tetrahydrofuran-2-yl,  
 25 2-(5,6,7,8-tetrahydronaphthyl), thiazol-2-yl, thiazol-4-yl, thiazol-5-yl,  
 thiophen-2-yl, 2,3,5-trifluorobenzyloxy, 2,2,2-trifluoroethoxy,  
 2,2,2-trifluoroethyl, 3,3,3-trifluoro-2-hydroxypropyl, trifluoromethoxy,  
 3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,  
 3-trifluoromethoxyphenoxy, 4-trifluoromethoxyphenoxy, trifluoromethyl,  
 30 3-trifluoromethylbenzyloxy, 4-trifluoromethylbenzyloxy,  
 2,4-bis-trifluoromethylbenzyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,  
 3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzyloxy,  
 4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy,  
 3-trifluoromethylphenyl, 3-trifluoromethylthiobenzyloxy,  
 35 4-trifluoromethylthiobenzyloxy, 2,3,4-trifluorophenoxy,  
 2,3,4-trifluorophenyl, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,

3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,  
 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy,  
 3-trifluoromethylthiobenzyloxy, and trifluoromethylthio;

$R_6$  and  $R_{11}$  are independently selected from the group consisting of

- 5 chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy,  
 trifluoromethyl, and trifluoromethoxy;

$R_7$  and  $R_{12}$  are independently selected from the group consisting of  
 hydrido, fluoro, and trifluoromethyl.

10

72. Compound of Claim 71 or a pharmaceutically acceptable salt  
 thereof, wherein;

$n$  is 1;

$R_1$  is selected from the group consisting of trifluoromethyl,

- 15 difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

$R_2$  is hydrido;

$R_3$  is hydrido;

$R_4$ ,  $R_8$ ,  $R_9$ , and  $R_{13}$  are independently hydrido or fluoro;

$R_5$  and  $R_{10}$  are independently selected from the group consisting of


- 20 benzyloxy, 5-bromo-2-fluorophenoxy, 4-bromo-3-fluorophenoxy,  
 3-bromobenzyloxy, 4-bromophenoxy, 4-butoxyphenoxy, 3-chlorobenzyloxy,  
 2-chlorophenoxy, 4-chloro-3-ethylphenoxy, 4-chloro-3-methylphenoxy,  
 2-chloro-4-fluorophenoxy, 4-chloro-2-fluorophenoxy, 4-chlorophenoxy,  
 3-chloro-4-ethylphenoxy, 3-chloro-4-methylphenoxy,  
 25 3-chloro-4-fluorophenoxy, 4-chloro-3-fluorophenoxy,  
 4-chlorophenylamino, 5-chloropyrid-3-yloxy, cyclobutoxy, cyclobutyl,  
 cyclohexylmethoxy, cyclopentoxo, cyclopentyl, cyclopentylcarbonyl,  
 cyclopropylmethoxy, 2,3-dichlorophenoxy, 2,4-dichlorophenoxy,  
 2,4-dichlorophenyl, 3,5-dichlorophenyl, 3,5-dichlorobenzyl,  
 30 3,4-dichlorophenoxy, 3,4-difluorophenoxy, 2,3-difluorobenzyloxy,  
 3,5-difluorobenzyloxy, difluoromethoxy, 3,5-difluorophenoxy,

- 3,4-difluorophenyl, 2,3-difluorophenoxy, 2,4-difluorophenoxy,  
 2,5-difluorophenoxy, 3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy,  
 3,4-dimethylbenzyloxy, 3,5-dimethylbenzyloxy, 3,5-dimethylphenoxy,  
 3,4-dimethylphenoxy, 1,3-dioxolan-2-yl, 4-ethylbenzyloxy,
- 5 3-ethylphenoxy, 4-ethylaminophenoxy, 3-ethyl-5-methylphenoxy,  
 4-fluoro-3-methylbenzyl, 4-fluorobenzyloxy, 2-fluoro-3-methylphenoxy,  
 3-fluoro-4-methylphenoxy, 3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,  
 2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,  
 2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,
- 10 2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,  
 2-furyl, 3-furyl, heptafluoropropyl, 1,1,1,3,3,3-hexafluoropropyl,  
 2-hydroxy-3,3,3-trifluoropropoxy, isobutoxy, isobutyl, 3-isoxazolyl,  
 4-isoxazolyl, 5-isoxazolyl, isopropoxy, 4-isopropylbenzyloxy,  
 3-isopropylphenoxy, isopropylthio, 4-isopropyl-3-methylphenoxy,
- 15 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl, 3-methoxybenzyl,  
 4-methoxyphenylamino, 3-methylbenzyloxy, 4-methylbenzyloxy,  
 3-methylphenoxy, 3-methyl-4-methylthiophenoxy, 4-methylphenoxy,  
 1-methylpropoxy, 2-methylpyrid-5-yloxy, 4-methylthiophenoxy,  
 2-naphthyl, 2-nitrophenoxy, 4-nitrophenoxy, 3-nitrophenyl, 2-oxazolyl,
- 20 4-oxazolyl, 5-oxazolyl, pentafluoroethyl, pentafluoroethylthio,  
 2,2,3,3,3-pentafluoropropyl, 1,1,3,3,3-pentafluoropropyl,  
 1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino, 1-phenylethoxy,  
 4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, tert-butoxy,  
 3-tert-butylphenoxy, 4-tert-butylphenoxy, 1,1,2,2-tetrafluoroethoxy,
- 25 tetrahydrofuran-2-yl, 2-(5,6,7,8-tetrahydronaphthyl), thiazol-2-yl,  
 thiazol-4-yl, thiazol-5-yl, thiophen-2-yl, 2,2,2-trifluoroethoxy,  
 2,2,2-trifluoroethyl, 3,3,3-trifluoro-2-hydroxypropyl, trifluoromethoxy,  
 3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,  
 4-trifluoromethoxyphenoxy, 3-trifluoromethoxyphenoxy, trifluoromethyl,
- 30 3-trifluoromethylbenzyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,  
 3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzyloxy,  
 4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy, 3-trifluoromethylphenyl,  
 2,3,4-trifluorophenoxy, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,  
 3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,
- 35 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy,  
 3-trifluoromethylthiobenzyloxy, and trifluoromethylthio;

$R_6$  and  $R_{11}$  are independently selected from the group consisting of chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy, and trifluoromethyl;

$R_7$  and  $R_{12}$  are independently selected from the group consisting of hydrido, fluoro, and trifluoromethyl.

73. Compound of Claim 70 of Formula II:



10 or a pharmaceutically acceptable salt thereof, wherein;

$R_1$  is haloalkyl;

$R_4$ ,  $R_8$ ,  $R_9$ , and  $R_{13}$  are independently hydrido or halo;

$R_5$ ,  $R_6$ ,  $R_7$ ,  $R_{10}$ ,  $R_{11}$ , and  $R_{12}$  are independently selected from the group consisting of hydrido, perhaloaryloxy, N-aryl-N-alkylamino, heterocyclalkoxy, heterocyclalthio, hydroxyalkoxy, aralkanoylalkoxy, aralkenoyl, cycloalkylcarbonyl, cyanoalkoxy, heterocyclcarbonyl, heteroaralkoxy, aralkyl, haloalkylthio, alkoxy, cycloalkoxy, cycloalkylalkoxy, alkylthio, arylamino, arylthio, arylsulfonyl, aroyl, alkyl, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl,

hydroxyhaloalkoxy, aryl, aryloxy, aralkoxy, heteroaryl, heteroaryloxyalkyl, and heteroaryloxy;

with the proviso that at least one of R<sub>4</sub>, R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub>, and R<sub>8</sub> is not

hydrido and with the further proviso that at least one of R<sub>9</sub>, R<sub>10</sub>, R<sub>11</sub>, R<sub>12</sub>, and

5 R<sub>13</sub> is not hydrido.

74. Compound of Claim 73 or a pharmaceutically acceptable salt thereof, wherein;

10 R<sub>1</sub> is trifluoromethyl;

R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently hydrido or fluoro;

R<sub>5</sub> is selected from the group consisting of 5-bromo-2-fluorophenoxy,

4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy,  
3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy,

15 3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy,  
4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy,

3-pentafluoroethylphenoxy, 3-tert-butylphenoxy,  
3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyl)oxy,

3-trifluoromethoxybenzyloxy, 3-trifluoromethoxyphenoxy,

20 3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

R<sub>10</sub> is selected from the group consisting of cyclopentyl,

1,1,2,2-tetrafluoroethoxy, 2-furyl, 1,1-bis-trifluoromethyl-1-hydroxymethyl,  
pentafluoroethyl, trifluoromethoxy, trifluoromethyl, and trifluoromethylthio;

R<sub>6</sub>, R<sub>7</sub>, R<sub>11</sub>, and R<sub>12</sub> are independently hydrido or fluoro.

25

75. Compound of Claim 74 or a pharmaceutically acceptable salt thereof, wherein;

R<sub>1</sub> is trifluoromethyl;

$R_4$ ,  $R_8$ ,  $R_9$ , and  $R_{13}$  are independently hydrido or fluoro;


- $R_5$  is selected from the group consisting of 5-bromo-2-fluorophenoxy, 4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy, 3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy, 3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy, 4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy, 3-pentafluoroethylphenoxy, 3-tert-butylphenoxy, 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyl)oxy, 3-trifluoromethoxybenzyloxy, 3-trifluoromethoxyphenoxy, 3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

$R_{10}$  is selected from the group consisting of 1,1,2,2-tetrafluoroethoxy, pentafluoroethyl, and trifluoromethyl;

$R_6$ ,  $R_7$ ,  $R_{11}$ , and  $R_{12}$  are independently hydrido or fluoro.

15

76. Compound of Claim 68 or a pharmaceutically acceptable salt thereof, wherein said compound is a compound of Formula III:



- wherein  $R_5$  and  $R_{10}$  are selected to form a compound selected from the group consisting of;

$R_5$  is 3-isopropylphenoxy and  $R_{10}$  is pentafluoroethyl;

$R_5$  is 2,3-dichlorophenoxy and  $R_{10}$  is pentafluoroethyl;



- $R_5$  is 3-trifluoromethoxyphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-fluorophenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-methylphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 2-fluoro-5-bromophenoxy and  $R_{10}$  is pentafluoroethyl;
- 5  $R_5$  is 4-chloro-3-ethylphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-ethylphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3,5-dimethylphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-*t*-butylphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-fluoro-3-methylphenoxy and  $R_{10}$  is pentafluoroethyl;
- 10  $R_5$  is 3,4-dichlorophenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 5,6,7,8-tetrahydro-2-naphthoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-difluoromethoxyphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-dimethylaminophenoxy and  $R_{10}$  is pentafluoroethyl;
- 15  $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-(2-furyl)phenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-aminophenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is pentafluoroethyl;
- 20  $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-trifluoromethylphenoxy and  $R_{10}$  is pentafluoroethyl;

- $R_5$  is 2-nitrophenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-trifluoromethoxybenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-trifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3,5-difluorobenzyloxy and  $R_{10}$  is pentafluoroethyl;
- 5  $R_5$  is cyclohexylmethylenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is benzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-trifluoromethoxybenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-ethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;
- 10  $R_5$  is isopropoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is isopropylthio and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is cyclopentoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is pentafluoroethyl;
- 15  $R_5$  is 3-trifluoromethylthiobenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3,4-dimethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-isopropylbenzyloxy and  $R_{10}$  is pentafluoroethyl;
- 20  $R_5$  is 1-phenylethoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-fluoro-3-methylbenzoyl and  $R_{10}$  is pentafluoroethyl;

- $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-methoxyphenylamino and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-nitrophenylthio and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-isopropylphenoxy and  $R_{10}$  is trifluoromethyl;
- 5  $R_5$  is 2,3-dichlorophenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-trifluoromethoxyphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-fluorophenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-methylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 2-fluoro-5-bromophenoxy and  $R_{10}$  is trifluoromethyl;
- 10  $R_5$  is 4-chloro-3-ethylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-ethylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3,5-dimethylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-*t*-butylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-fluoro-3-methylphenoxy and  $R_{10}$  is trifluoromethyl;
- 15  $R_5$  is 3,4-dichlorophenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 5,6,7,8-tetrahydro-2-naphthoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-difluoromethoxyphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-dimethylaminophenoxy and  $R_{10}$  is trifluoromethyl;
- 20  $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-(2-furyl)phenoxy and  $R_{10}$  is trifluoromethyl;

- $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-aminophenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is trifluoromethyl;
- 5  $R_5$  is 3-trifluoromethylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 2-nitrophenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-trifluoromethoxybenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3,5-difluorobenzyloxy and  $R_{10}$  is trifluoromethyl;
- 10  $R_5$  is cyclohexylmethyleneoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is benzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-trifluoromethoxybenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-ethylbenzyloxy and  $R_{10}$  is trifluoromethyl;
- 15  $R_5$  is isopropoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is trifluoromethyl;
- $R_5$  is isopropylthio and  $R_{10}$  is trifluoromethyl;
- $R_5$  is cyclopentoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is trifluoromethyl;
- 20  $R_5$  is 3-trifluoromethylthiobenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3,4-dimethylbenzyloxy and  $R_{10}$  is trifluoromethyl;

- $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-isopropylbenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 1-phenylethoxy and  $R_{10}$  is trifluoromethyl;
- 5  $R_5$  is 4-fluoro-3-methylbenzoyl and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-methoxyphenylamino and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-nitrophenylthio and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-isopropylphenoxy and  $R_{10}$  is trifluoromethoxy;
- 10  $R_5$  is 2,3-dichlorophenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-trifluoromethoxyphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-fluorophenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-methylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 2-fluoro-5-bromophenoxy and  $R_{10}$  is trifluoromethoxy;
- 15  $R_5$  is 4-chloro-3-ethylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-ethylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3,5-dimethylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-*t*-butylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-fluoro-3-methylphenoxy and  $R_{10}$  is trifluoromethoxy;
- 20  $R_5$  is 3,4-dichlorophenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 5,6,7,8-tetrahydro-2-naphthoxy and  $R_{10}$  is trifluoromethoxy;

- $R_5$  is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-difluoromethoxyphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-dimethylaminophenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is trifluoromethoxy;
- 5  $R_5$  is 3-(2-furyl)phenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-aminophenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is trifluoromethoxy;
- 10  $R_5$  is 3-trifluoromethylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 2-nitrophenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-trifluoromethoxybenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3,5-difluorobenzyloxy and  $R_{10}$  is trifluoromethoxy;
- 15  $R_5$  is cyclohexylmethyleneoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is benzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-trifluoromethoxybenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-ethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;
- 20  $R_5$  is isopropoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is trifluoromethoxy;


- $R_5$  is isopropylthio and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is cyclopentoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-trifluoromethylthiobenzoyloxy and  $R_{10}$  is trifluoromethoxy;
- 5  $R_5$  is 3,4-dimethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-isopropylbenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 1-phenylethoxy and  $R_{10}$  is trifluoromethoxy;
- 10  $R_5$  is 4-fluoro-3-methylbenzoyl and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-methoxyphenylamino and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-nitrophenylthio and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-isopropylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 15  $R_5$  is 2,3-dichlorophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-trifluoromethoxyphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 4-fluorophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 4-methylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 2-fluoro-5-bromophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 20  $R_5$  is 4-chloro-3-ethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-ethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

- $R_5$  is 3,5-dimethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-*t*-butylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 4-fluoro-3-methylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3,4-dichlorophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 5  $R_5$  is 5,6,7,8-tetrahydro-2-naphthoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-difluoromethoxyphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-dimethylaminophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 10  $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-(2-furyl)phenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 4-aminophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 15  $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-trifluoromethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 2-nitrophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-trifluoromethoxybenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-trifluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 20  $R_5$  is 3,5-difluorobenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is cyclohexylmethylenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is benzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;



- $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 4-trifluoromethoxybenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 4-ethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is isopropoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 5  $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is isopropylthio and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is cyclopentoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-trifluoromethylthiobenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 10  $R_5$  is 3,4-dimethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 15  $R_5$  is 4-isopropylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 1-phenylethoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 4-fluoro-3-methylbenzoyl and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 4-methoxyphenylamino and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy; and
- 20  $R_5$  is 4-nitrophenylthio and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy.

77. A pharmaceutical composition comprising a therapeutically effective amount of a compound or a pharmaceutically acceptable salt thereof, together with a pharmaceutically acceptable carrier, said compound being of Formula I:




5 wherein;

n is 1 or 2;

$R_1$  is haloalkyl or haloalkoxyalkyl with the proviso that  $R_1$  is selected to have the highest Cahn-Ingold-Prelog stereochemical system ranking of three groups bonded to the hydroxy-substituted carbon to which  $R_1$  and  $R_2$  are

10 attached in radical Ia:



which radical Ia is a fragment of Formula I;

$R_2$  is selected from the group consisting of hydrido, aryl, aralkyl, alkyl, alkenyl, alkenyloxyalkyl, haloalkyl, haloalkenyl, halocycloalkyl, haloalkoxyalkyl, haloalkenyloxyalkyl, halocycloalkoxy, halocycloalkoxyalkyl,

15

perhaloaryl, perhaloaralkyl, perhaloaryloxyalkyl, heteroaryl, dicyanoalkyl, and carboalkoxycyanoalkyl;

R<sub>3</sub> is selected from the group consisting of hydrido, hydroxy, cyano,

aryl, aralkyl, acyl, alkoxy, alkyl, alkenyl, alkoxyalkyl, heteroaryl,

- 5 alkenyloxyalkyl, haloalkyl, haloalkenyl, haloalkoxy, haloalkoxyalkyl, haloalkenyloxyalkyl, monocyanoalkyl, dicyanoalkyl, carboxamido, and carboxamidoalkyl;

R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently selected from the group consisting of hydrido, halo, haloalkyl, and alkyl ;

- 10 R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub>, R<sub>10</sub>, R<sub>11</sub>, and R<sub>12</sub> are independently selected from the group consisting of hydrido, perhaloaryloxy, alkanoylalkyl, alkanoylalkoxy, alkanoyloxy, N-aryl-N-alkylamino, heterocyclalkoxy, heterocyclthio, hydroxyalkoxy, carboxamidoalkoxy, alkoxycarbonylalkoxy, alkoxycarbonylalkenyloxy, aralkanoylalkoxy, aralkenoyl,
- 15 N-alkylcarboxamido, N-haloalkylcarboxamido, N-cycloalkylcarboxamido, N-arylcarboxamidoalkoxy, cycloalkylcarbonyl, cyanoalkoxy, heterocyclcarbonyl, carboxy, heteroaralkylthio, heteroaralkoxy, cycloalkylamino, acylalkyl, acylalkoxy, aroylalkoxy, heterocyclloxy, aralkylaryl, aralkyl, aralkenyl, aralkynyl, heterocyclyl, haloalkylthio,
- 20 alkanoyloxy, alkoxy, alkoxyalkyl, cycloalkoxy, cycloalkylalkoxy, hydroxy, amino, thio, nitro, alkylamino, alkylthio, arylamino, aralkylamino, arylthio, arylthioalkyl, alkylsulfonyl, alkylsulfonamido, monoarylamidosulfonyl, arylsulfonyl, heteroarylthio, heteroarylsulfonyl, heterocyclsulfonyl, heterocyclthio, alkanoyl, alkenoyl, aroyl, heteroaroyl, aralkanoyl,
- 25 heteroaralkanoyl, haloalkanoyl, alkyl, alkenyl, alkynyl, alkenyloxy, alkylenedioxy, haloalkylenedioxy, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, hydroxyalkyl, aryl, aryloxy, aralkoxy, saturated heterocyclyl, heteroaryl, heteroaryloxy, heteroaryloxyalkyl, heteroaralkyl, arylalkenyl, carboalkoxy, alkoxycarboxamido,
- 30 alkylamidocarbonylamido, arylamidocarbonylamido, carboalkoxyalkyl, carboalkoxyalkenyl, carboxamido, carboxamidoalkyl, and cyano;

R<sub>5</sub> and R<sub>6</sub> are optionally taken together to form a ring selected from the group consisting of a cycloalkenyl ring having 5 through 8 members, a partially

saturated heterocyclyl ring having 5 through 8 members, a heteroaryl ring having 5 or 6 members, and an aryl ring, wherein said cycloalkenyl ring, said partially saturated heterocyclyl ring, said heteroaryl ring, and said aryl are optionally substituted by one or more substituents selected from the group

- 5 consisting of  $R_{10}$ ,  $R_{11}$ , and  $R_{12}$ ;

$R_{10}$  and  $R_{11}$  are optionally taken together to form a ring selected from the group consisting of a cycloalkenyl ring having 5 through 8 members, a partially saturated heterocyclyl ring having 5 through 8 members, a heteroaryl ring having 5 or 6 members, and an aryl ring, wherein said cycloalkenyl ring, said partially saturated heterocyclyl ring, said heteroaryl ring, and said aryl is optionally substituted by one or more substituents selected from the group consisting of  $R_5$ ,  $R_6$ , and  $R_7$ ;

with the proviso that the groups  $R_5$  and  $R_6$  and the groups  $R_{10}$  and

$R_{11}$  are not simultaneously taken together to form two rings;

- 15 with the further proviso that at least one of  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ , and  $R_8$  is not hydrido or with the further proviso that at least one of  $R_9$ ,  $R_{10}$ ,  $R_{11}$ ,  $R_{12}$ , and  $R_{13}$  is not hydrido.

- 20 78. The pharmaceutical composition of Claim 77, wherein said compound is of Formula I, wherein at least one of  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ , and  $R_8$  is not hydrido and at least one of  $R_9$ ,  $R_{10}$ ,  $R_{11}$ ,  $R_{12}$ , and  $R_{13}$  is not hydrido.

- 25 79. The pharmaceutical composition of Claim 78, wherein said compound is of Formula I, wherein;  
n is 1 or 2;

- $R_1$  is haloalkyl or haloalkoxyalkyl with the proviso that  $R_1$  is selected to have the highest Cahn-Ingold-Prelog stereochemical system ranking of said three groups bonded to the hydroxy-substituted carbon to which  $R_1$  and  $R_2$  are attached in said fragment of the Formula I and with the further proviso that said
- 5 haloalkyl has two or more halo substituents;

$R_2$  is hydrido;

$R_3$  is hydrido;

$R_4$ ,  $R_8$ ,  $R_9$ , and  $R_{13}$  are independently hydrido or halo;

- $R_5$ ,  $R_6$ ,  $R_7$ ,  $R_{10}$ ,  $R_{11}$ , and  $R_{12}$  are independently selected from the
- 10 group consisting of hydrido, perhaloaryloxy, N-aryl-N-alkylamino, heterocyclalkoxy, heterocyclalthio, hydroxyalkoxy, carboxamidoalkoxy, alkoxy, cycloalkoxy, cycloalkylalkoxy, alkylamino, alkylthio, arylamino, arylthio, arylsulfonyl, heteroarylthio, heteroarylsulfonyl, aroyl, alkyl, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, aryl, aryloxy, aralkoxy, saturated heterocycl, heteroaryl, heteroaryloxyalkyl, and heteroaryloxy;
- 15
- 20 with the proviso that at least one of  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ , and  $R_8$  is not hydrido and with the further proviso that at least one of  $R_9$ ,  $R_{10}$ ,  $R_{11}$ ,  $R_{12}$ , and  $R_{13}$  is not hydrido.

- 25 80. The pharmaceutical composition of Claim 79, wherein said compound is of Formula I, wherein;
- n is 1;

$R_1$  is selected from the group consisting of trifluoromethyl, 1,1,2,2-tetrafluoroethoxymethyl, trifluoromethoxymethyl, difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

$R_2$  is hydrido;

5  $R_3$  is hydrido;

$R_4$ ,  $R_8$ ,  $R_9$ , and  $R_{13}$  are independently hydrido or fluoro;

$R_5$  and  $R_{10}$  are independently selected from the group consisting of

4-aminophenoxy, benzoyl, benzyl, benzyloxy, 5-bromo-2-fluorophenoxy,  
 4-bromo-3-fluorophenoxy, 4-bromo-2-nitrophenoxy, 3-bromobenzyloxy,  
 10 4-bromobenzyloxy, 4-bromophenoxy, 5-bromopyrid-2-yloxy,  
 4-butoxyphenoxy, chloro, 3-chlorobenzyl, 2-chlorophenoxy,  
 4-chlorophenoxy, 4-chloro-3-ethylphenoxy, 3-chloro-4-fluorobenzyl,  
 3-chloro-4-fluorophenyl, 3-chloro-2-fluorobenzyloxy, 3-chlorobenzyloxy,  
 4-chlorobenzyloxy, 4-chloro-3-methylphenoxy, 2-chloro-4-fluorophenoxy,  
 15 4-chloro-2-fluorophenoxy, 4-chlorophenoxy, 3-chloro-4-ethylphenoxy,  
 3-chloro-4-methylphenoxy, 3-chloro-4-fluorophenoxy,  
 4-chloro-3-fluorophenoxy, 4-chlorophenylamino, 5-chloropyrid-3-yloxy,  
 2-cyanopyrid-3-yloxy, 4-cyanophenoxy, cyclobutoxy, cyclobutyl, cyclohexoxy,  
 cyclohexylmethoxy, cyclopentoxy, cyclopentyl, cyclopentylcarbonyl,  
 20 cyclopropyl, cyclopropylmethoxy, cyclopropoxy, 2,3-dichlorophenoxy,  
 2,4-dichlorophenoxy, 2,4-dichlorophenyl, 3,5-dichlorophenyl,  
 3,5-dichlorobenzyl, 3,4-dichlorophenoxy, 3,4-difluorophenoxy,  
 2,3-difluorobenzyloxy, 2,4-difluorobenzyloxy, 3,4-difluorobenzyloxy,  
 2,5-difluorobenzyloxy, difluoromethoxy, 3,5-difluorophenoxy,  
 25 3,4-difluorophenyl, 3,5-difluorobenzyloxy, 4-difluoromethoxybenzyloxy,  
 2,3-difluorophenoxy, 2,4-difluorophenoxy, 2,5-difluorophenoxy,  
 3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy, 3,5-dimethylphenoxy,  
 3,4-dimethylphenoxy, 3,4-dimethylbenzyl, 3,4-dimethylbenzyloxy,  
 3,5-dimethylbenzyloxy, 2,2-dimethylpropoxy, 1,3-dioxan-2-yl, 1,4-dioxan-2-yl,  
 30 1,3-dioxolan-2-yl, ethoxy, 4-ethoxyphenoxy, 4-ethylbenzyloxy,  
 3-ethylphenoxy, 4-ethylaminophenoxy, 3-ethyl-5-methylphenoxy, fluoro,

- 4-fluoro-3-methylbenzyl, 4-fluoro-3-methylphenyl, 4-fluoro-3-methylbenzoyl,  
4-fluorobenzoyloxy, 2-fluoro-3-methylphenoxy, 3-fluoro-4-methylphenoxy,  
3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,  
2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,  
5 4-fluoro-2-trifluoromethylbenzyloxy, 4-fluoro-3-trifluoromethylbenzyloxy,  
2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,  
2-fluorobenzoyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,  
4-fluoropyrid-2-yloxy, 2-furyl, 3-furyl, heptafluoropropyl,  
1,1,1,3,3,3-hexafluoropropyl, 2-hydroxy-3,3,3-trifluoropropoxy,  
10 3-iodobenzoyloxy, isobutyl, isobutylamino, isobutoxy, 3-isoxazolyl,  
4-isoxazolyl, 5-isoxazolyl, isopropoxy, isopropyl, 4-isopropylbenzyloxy,  
3-isopropylphenoxy, 4-isopropylphenoxy, isopropylthio,  
4-isopropyl-3-methylphenoxy, 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl,  
3-methoxybenzyl, 4-methoxycarbonylbutoxy,  
15 3-methoxycarbonylprop-2-enyloxy, 4-methoxyphenyl,  
3-methoxyphenylamino, 4-methoxyphenylamino, 3-methylbenzyloxy,  
4-methylbenzyloxy, 3-methylphenoxy, 3-methyl-4-methylthiophenoxy,  
4-methylphenoxy, 1-methylpropoxy, 2-methylpyrid-5-yloxy,  
4-methylthiophenoxy, 2-naphthyl, 2-nitrophenoxy, 4-nitrophenoxy,  
20 3-nitrophenyl, 4-nitrophenylthio, 2-oxazolyl, 4-oxazolyl, 5-oxazolyl,  
pentafluoroethyl, pentafluoroethylthio, 2,2,3,3,3-pentafluoropropyl,  
1,1,3,3,3-pentafluoropropyl, 1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino,  
1-phenylethoxy, phenylsulfonyl, 4-propanoylphenoxy, propoxy,  
4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, sec-butyl,  
25 4-sec-butylphenoxy, tert-butoxy, 3-tert-butylphenoxy, 4-tert-butylphenoxy,  
1,1,2,2-tetrafluoroethoxy, tetrahydrofuran-2-yl,  
2-(5,6,7,8-tetrahydronaphthyl)oxy, thiazol-2-yl, thiazol-4-yl, thiazol-5-yl,  
thiophen-2-yl, 2,3,5-trifluorobenzoyloxy, 2,2,2-trifluoroethoxy,  
2,2,2-trifluoroethyl, 3,3,3-trifluoro-2-hydroxypropyl, trifluoromethoxy,  
30 3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,  
3-trifluoromethoxyphenoxy, 4-trifluoromethoxyphenoxy, trifluoromethyl,  
3-trifluoromethylbenzyloxy, 4-trifluoromethylbenzyloxy,  
2,4-bis-trifluoromethylbenzyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,  
3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzyloxy,  
35 4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy,  
3-trifluoromethylphenyl, 3-trifluoromethylthiobenzoyloxy,

- 4-trifluoromethylthiobenzyloxy, 2,3,4-trifluorophenoxy,  
 2,3,4-trifluorophenyl, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,  
 3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,  
 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy,  
 5 3-trifluoromethylthiobenzyloxy, and trifluoromethylthio;

$R_6$  and  $R_{11}$  are independently selected from the group consisting of  
 chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy,  
 trifluoromethyl, and trifluoromethoxy;

- $R_7$  and  $R_{12}$  are independently selected from the group consisting of  
 10 hydrido, fluoro, and trifluoromethyl.

81. The pharmaceutical composition of Claim 80, wherein said  
 compound is of Formula I, wherein;

- 15 n is 1;

$R_1$  is selected from the group consisting of trifluoromethyl,  
 difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

$R_2$  is hydrido;

$R_3$  is hydrido;

- 20  $R_4$ ,  $R_8$ ,  $R_9$ , and  $R_{13}$  are independently hydrido or fluoro;

- $R_5$  and  $R_{10}$  are independently selected from the group consisting of  
 benzyloxy, 5-bromo-2-fluorophenoxy, 4-bromo-3-fluorophenoxy,  
 3-bromobenzyloxy, 4-bromophenoxy, 4-butoxyphenoxy, 3-chlorobenzyloxy,  
 2-chlorophenoxy, 4-chloro-3-ethylphenoxy, 4-chloro-3-methylphenoxy,  
 25 2-chloro-4-fluorophenoxy, 4-chloro-2-fluorophenoxy, 4-chlorophenoxy,  
 3-chloro-4-ethylphenoxy, 3-chloro-4-methylphenoxy,  
 3-chloro-4-fluorophenoxy, 4-chloro-3-fluorophenoxy,  
 4-chlorophenylamino, 5-chloropyrid-3-yloxy, cyclobutoxy, cyclobutyl,  
 cyclohexylmethoxy, cyclopentoxo, cyclopentyl, cyclopentylcarbonyl,  
 30 cyclopropylmethoxy, 2,3-dichlorophenoxy, 2,4-dichlorophenoxy,  
 2,4-dichlorophenyl, 3,5-dichlorophenyl, 3,5-dichlorobenzyl,




- 3,4-dichlorophenoxy, 3,4-difluorophenoxy, 2,3-difluorobenzoyloxy,  
 3,5-difluorobenzoyloxy, difluoromethoxy, 3,5-difluorophenoxy,  
 3,4-difluorophenyl, 2,3-difluorophenoxy, 2,4-difluorophenoxy,  
 2,5-difluorophenoxy, 3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy,  
 5 3,4-dimethylbenzoyloxy, 3,5-dimethylbenzoyloxy, 3,5-dimethylphenoxy,  
 3,4-dimethylphenoxy, 1,3-dioxolan-2-yl, 4-ethylbenzoyloxy,  
 3-ethylphenoxy, 4-ethylaminophenoxy, 3-ethyl-5-methylphenoxy,  
 4-fluoro-3-methylbenzyl, 4-fluorobenzoyloxy, 2-fluoro-3-methylphenoxy,  
 3-fluoro-4-methylphenoxy, 3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,  
 10 2-fluoro-3-trifluoromethylbenzoyloxy, 3-fluoro-5-trifluoromethylbenzoyloxy,  
 2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,  
 2-fluorobenzoyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,  
 2-furyl, 3-furyl, heptafluoropropyl, 1,1,1,3,3,3-hexafluoropropyl,  
 2-hydroxy-3,3,3-trifluoropropoxy, isobutoxy, isobutyl, 3-isoxazolyl,  
 15 4-isoxazolyl, 5-isoxazolyl, isopropoxy, 4-isopropylbenzoyloxy,  
 3-isopropylphenoxy, isopropylthio, 4-isopropyl-3-methylphenoxy,  
 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl, 3-methoxybenzyl,  
 4-methoxyphenylamino, 3-methylbenzoyloxy, 4-methylbenzoyloxy,  
 3-methylphenoxy, 3-methyl-4-methylthiophenoxy, 4-methylphenoxy,  
 20 1-methylpropoxy, 2-methylpyrid-5-yloxy, 4-methylthiophenoxy,  
 2-naphthylloxy, 2-nitrophenoxy, 4-nitrophenoxy, 3-nitrophenyl, 2-oxazolyl,  
 4-oxazolyl, 5-oxazolyl, pentafluoroethyl, pentafluoroethylthio,  
 2,2,3,3,3-pentafluoropropyl, 1,1,3,3,3-pentafluoropropyl,  
 1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino, 1-phenylethoxy,  
 25 4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, tert-butoxy,  
 3-tert-butylphenoxy, 4-tert-butylphenoxy, 1,1,2,2-tetrafluoroethoxy,  
 tetrahydrofuran-2-yl, 2-(5,6,7,8-tetrahydronaphthylloxy), thiazol-2-yl,  
 thiazol-4-yl, thiazol-5-yl, thiophen-2-yl, 2,2,2-trifluoroethoxy,  
 2,2,2-trifluoroethyl, 3,3,3-trifluoro-2-hydroxypropyl, trifluoromethoxy,  
 30 3-trifluoromethoxybenzoyloxy, 4-trifluoromethoxybenzoyloxy,  
 4-trifluoromethoxyphenoxy, 3-trifluoromethoxyphenoxy, trifluoromethyl,  
 3-trifluoromethylbenzoyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,  
 3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzoyloxy,  
 4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy, 3-trifluoromethylphenyl,  
 35 2,3,4-trifluorophenoxy, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,  
 3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,

3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy,  
3-trifluoromethylthiobenzoyloxy, and trifluoromethylthio;

$R_6$  and  $R_{11}$  are independently selected from the group consisting of  
chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy, and  
5 trifluoromethyl;

$R_7$  and  $R_{12}$  are independently selected from the group consisting of  
hydrido, fluoro, and trifluoromethyl.

10 82. The pharmaceutical composition of Claim 79, wherein said  
compound is of Formula II:



wherein;

$R_1$  is haloalkyl;

15  $R_4$ ,  $R_8$ ,  $R_9$ , and  $R_{13}$  are independently hydrido or halo;

$R_5$ ,  $R_6$ ,  $R_7$ ,  $R_{10}$ ,  $R_{11}$ , and  $R_{12}$  are independently selected from the  
group consisting of hydrido, perhaloalkoxy, N-aryl-N-alkylamino,  
heterocyclalkoxy, heterocyclthio, hydroxyalkoxy, aralkanoylalkoxy,  
aralkanoyl, cycloalkylcarbonyl, cyanoalkoxy, heterocyclcarbonyl,  
20 heteroalkoxy, aralkyl, haloalkylthio, alkoxy, cycloalkoxy, cycloalkylalkoxy,

alkylthio, arylamino, arylthio, arylsulfonyl, aroyl, alkyl, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, aryl, aryloxy, aralkoxy, heteroaryl, heteroaryloxyalkyl, and heteroaryloxy;

- 5                   with the proviso that at least one of  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ , and  $R_8$  is not hydrido and with the further proviso that at least one of  $R_9$ ,  $R_{10}$ ,  $R_{11}$ ,  $R_{12}$ , and  $R_{13}$  is not hydrido.

- 10               83.     The pharmaceutical composition of Claim 82, wherein said compound is of Formula II, wherein;
- $R_1$  is trifluoromethyl;
- $R_4$ ,  $R_8$ ,  $R_9$ , and  $R_{13}$  are independently hydrido or fluoro;
- $R_5$  is selected from the group consisting of 5-bromo-2-fluorophenoxy,
- 15     4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy, 3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy, 3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy, 4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy, 3-pentafluoroethylphenoxy, 3-tert-butylphenoxy,
- 20     3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyl)oxy), 3-trifluoromethoxybenzyloxy, 3-trifluoromethoxyphenoxy, 3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;
- $R_{10}$  is selected from the group consisting of cyclopentyl,
- 1,1,2,2-tetrafluoroethoxy, 2-furyl, 1,1-bis-trifluoromethyl-1-hydroxymethyl,
- 25     pentafluoroethyl, trifluoromethoxy, trifluoromethyl, and trifluoromethylthio;
- $R_6$ ,  $R_7$ ,  $R_{11}$ , and  $R_{12}$  are independently hydrido or fluoro.

84. The pharmaceutical composition of Claim 83, wherein said compound is of Formula II, wherein;

$R_1$  is trifluoromethyl;

$R_4$ ,  $R_8$ ,  $R_9$ , and  $R_{13}$  are independently hydrido or fluoro;

5  $R_5$  is selected from the group consisting of 5-bromo-2-fluorophenoxy,

4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy,  
3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy,  
3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy,  
4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy,


10 3-pentafluoroethylphenoxy, 3-tert-butylphenoxy,  
3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyl)oxy,  
3-trifluoromethoxybenzyloxy, 3-trifluoromethoxyphenoxy,  
3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

$R_{10}$  is selected from the group consisting of 1,1,2,2-tetrafluoroethoxy,

15 pentafluoroethyl, and trifluoromethyl;

$R_6$ ,  $R_7$ ,  $R_{11}$ , and  $R_{12}$  are independently hydrido or fluoro.

85. The pharmaceutical composition of Claim 77, wherein said  
20 compound is a compound of Formula III:



(III)

wherein  $R_5$  and  $R_{10}$  are selected to form a compound selected from the group consisting of;

- $R_5$  is 3-isopropylphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 2,3-dichlorophenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-trifluoromethoxyphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-fluorophenoxy and  $R_{10}$  is pentafluoroethyl;
- 5  $R_5$  is 4-methylphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 2-fluoro-5-bromophenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-chloro-3-ethylphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-ethylphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3,5-dimethylphenoxy and  $R_{10}$  is pentafluoroethyl;
- 10  $R_5$  is 3-*t*-butylphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-fluoro-3-methylphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3,4-dichlorophenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 5,6,7,8-tetrahydro-2-naphthoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and  $R_{10}$  is pentafluoroethyl;
- 15  $R_5$  is 3-difluoromethoxyphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-dimethylaminophenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-(2-furyl)phenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is pentafluoroethyl;
- 20  $R_5$  is 4-aminophenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is pentafluoroethyl;

- $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-trifluoromethylphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 2-nitrophenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-trifluoromethoxybenzyloxy and  $R_{10}$  is pentafluoroethyl;
- 5  $R_5$  is 3-trifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3,5-difluorobenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is cyclohexylmethyleneoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is benzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;
- 10  $R_5$  is 4-trifluoromethoxybenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-ethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is isopropoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is isopropylthio and  $R_{10}$  is pentafluoroethyl;
- 15  $R_5$  is cyclopentoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-trifluoromethylthiobenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3,4-dimethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;
- 20  $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-isopropylbenzyloxy and  $R_{10}$  is pentafluoroethyl;

- $R_5$  is 1-phenylethoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-fluoro-3-methylbenzoyl and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-methoxyphenylamino and  $R_{10}$  is pentafluoroethyl;
- 5  $R_5$  is 4-nitrophenylthio and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-isopropylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 2,3-dichlorophenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-trifluoromethoxyphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-fluorophenoxy and  $R_{10}$  is trifluoromethyl;
- 10  $R_5$  is 4-methylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 2-fluoro-5-bromophenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-chloro-3-ethylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-ethylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3,5-dimethylphenoxy and  $R_{10}$  is trifluoromethyl;
- 15  $R_5$  is 3-*t*-butylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-fluoro-3-methylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3,4-dichlorophenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 5,6,7,8-tetrahydro-2-naphthoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and  $R_{10}$  is trifluoromethyl;
- 20  $R_5$  is 3-difluoromethoxyphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-dimethylaminophenoxy and  $R_{10}$  is trifluoromethyl;

- $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-(2-furyl)phenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-aminophenoxy and  $R_{10}$  is trifluoromethyl;
- 5  $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-trifluoromethylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 2-nitrophenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-trifluoromethoxybenzyloxy and  $R_{10}$  is trifluoromethyl;
- 10  $R_5$  is 3-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3,5-difluorobenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is cyclohexylmethylenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is benzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;
- 15  $R_5$  is 4-trifluoromethoxybenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-ethylbenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is isopropoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is trifluoromethyl;
- $R_5$  is isopropylthio and  $R_{10}$  is trifluoromethyl;
- 20  $R_5$  is cyclopentoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is trifluoromethyl;



- $R_5$  is 3-trifluoromethylthiobenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3,4-dimethylbenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;
- 5  $R_5$  is 4-isopropylbenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 1-phenylethoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-fluoro-3-methylbenzoyl and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-methoxyphenylamino and  $R_{10}$  is trifluoromethyl;
- 10  $R_5$  is 4-nitrophenylthio and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-isopropylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 2,3-dichlorophenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-trifluoromethoxyphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-fluorophenoxy and  $R_{10}$  is trifluoromethoxy;
- 15  $R_5$  is 4-methylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 2-fluoro-5-bromophenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-chloro-3-ethylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-ethylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3,5-dimethylphenoxy and  $R_{10}$  is trifluoromethoxy;
- 20  $R_5$  is 3-*t*-butylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-fluoro-3-methylphenoxy and  $R_{10}$  is trifluoromethoxy;


- $R_5$  is 3,4-dichlorophenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 5,6,7,8-tetrahydro-2-naphthoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-difluoromethoxyphenoxy and  $R_{10}$  is trifluoromethoxy;
- 5  $R_5$  is 3-dimethylaminophenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-(2-furyl)phenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-aminophenoxy and  $R_{10}$  is trifluoromethoxy;
- 10  $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-trifluoromethylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 2-nitrophenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-trifluoromethoxybenzyloxy and  $R_{10}$  is trifluoromethoxy;
- 15  $R_5$  is 3-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3,5-difluorobenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is cyclohexylmethyleneoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is benzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;
- 20  $R_5$  is 4-trifluoromethoxybenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-ethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;

- $R_5$  is isopropoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is isopropylthio and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is cyclopentoxy and  $R_{10}$  is trifluoromethoxy;
- 5  $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-trifluoromethylthiobenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3,4-dimethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;
- 10  $R_5$  is 4-isopropylbenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 1-phenylethoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-fluoro-3-methylbenzoyl and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-methoxyphenylamino and  $R_{10}$  is trifluoromethoxy;
- 15  $R_5$  is 4-nitrophenylthio and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-isopropylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 2,3-dichlorophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-trifluoromethoxyphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 4-fluorophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 20  $R_5$  is 4-methylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 2-fluoro-5-bromophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

- $R_5$  is 4-chloro-3-ethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-ethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3,5-dimethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-*t*-butylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 5  $R_5$  is 4-fluoro-3-methylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3,4-dichlorophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 5,6,7,8-tetrahydro-2-naphthoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 10  $R_5$  is 3-difluoromethoxyphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-dimethylaminophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-(2-furyl)phenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 15  $R_5$  is 4-aminophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-trifluoromethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 2-nitrophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 20  $R_5$  is 3-trifluoromethoxybenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-trifluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3,5-difluorobenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

- $R_5$  is cyclohexylmethyleneoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is benzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3,5-difluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 4-trifluoromethoxybenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 5  $R_5$  is 4-ethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is isopropoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is isopropylthio and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is cyclopentoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 10  $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-trifluoromethylthiobenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3,4-dimethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 15  $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 4-isopropylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 1-phenylethoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 4-fluoro-3-methylbenzoyl and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 20  $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 4-methoxyphenylamino and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy; and
- $R_5$  is 4-nitrophenylthio and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy.

86. A method of treating or preventing a CETP-mediated disorder in a subject by administering a therapeutically effective amount of a compound or a pharmaceutically acceptable salt thereof, said compound being of Formula I:




5 or a pharmaceutically acceptable salt thereof, wherein;

n is 1 or 2;

R<sub>1</sub> is haloalkyl or haloalkoxyalkyl with the proviso that R<sub>1</sub> is selected to have the highest Cahn-Ingold-Prelog stereochemical system ranking of three groups bonded to the hydroxy-substituted carbon to which R<sub>1</sub> and R<sub>2</sub> are

10 attached in radical Ia:



which radical Ia is a fragment of Formula I;

R<sub>2</sub> is selected from the group consisting of hydrido, aryl, aralkyl, alkyl, alkenyl, alkenyloxyalkyl, haloalkyl, haloalkenyl, halocycloalkyl, haloalkoxyalkyl, haloalkenyloxyalkyl, halocycloalkoxy, halocycloalkoxyalkyl,

15

perhaloaryl, perhaloaralkyl, perhaloaryloxyalkyl, heteroaryl, dicyanoalkyl, and carboalkoxycyanoalkyl;

- $R_3$  is selected from the group consisting of hydrido, hydroxy, cyano, aryl, aralkyl, acyl, alkoxy, alkyl, alkenyl, alkoxyalkyl, heteroaryl,
- 5 alkenyloxyalkyl, haloalkyl, haloalkenyl, haloalkoxy, haloalkoxyalkyl, haloalkenyloxyalkyl, monocyanoalkyl, dicyanoalkyl, carboxamido, and carboxamidoalkyl;

$R_4$ ,  $R_8$ ,  $R_9$ , and  $R_{13}$  are independently selected from the group consisting of hydrido, halo, haloalkyl, and alkyl ;

- 10  $R_5$ ,  $R_6$ ,  $R_7$ ,  $R_{10}$ ,  $R_{11}$ , and  $R_{12}$  are independently selected from the group consisting of hydrido, perhaloaryloxy, alkanoylalkyl, alkanoylalkoxy, alkanoyloxy, N-aryl-N-alkylamino, heterocyclalkoxy, heterocyclthio, hydroxyalkoxy, carboxamidoalkoxy, alkoxycarbonylalkoxy, alkoxycarbonylalkenyloxy, aralkanoylalkoxy, aralkenyl,
- 15 N-alkylcarboxamido, N-haloalkylcarboxamido, N-cycloalkylcarboxamido, N-arylcarboxamidoalkoxy, cycloalkylcarbonyl, cyanoalkoxy, heterocyclcarbonyl, carboxy, heteroaralkylthio, heteroaralkoxy, cycloalkylamino, acylalkyl, acylalkoxy, aroylalkoxy, heterocyclloxy, aralkylaryl, aralkyl, aralkenyl, aralkynyl, heterocyclyl, haloalkylthio,
- 20 alkanoyloxy, alkoxy, alkoxyalkyl, cycloalkoxy, cycloalkylalkoxy, hydroxy, amino, thio, nitro, alkylamino, alkylthio, arylamino, aralkylamino, arylthio, arylthioalkyl, alkylsulfonyl, alkylsulfonamido, monoarylamidosulfonyl, arylsulfonyl, heteroarylthio, heteroarylsulfonyl, heterocyclylsulfonyl, heterocyclthio, alkanoyl, alkenoyl, aroyl, heteroaroyl, aralkanoyl,
- 25 heteroaralkanoyl, haloalkanoyl, alkyl, alkenyl, alkynyl, alkenyloxy, alkylenedioxy, haloalkylenedioxy, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, hydroxyalkyl, aryl, aryloxy, aralkoxy, saturated heterocyclyl, heteroaryl, heteroaryloxy, heteroaryloxyalkyl, heteroaralkyl, arylalkenyl, carboalkoxy, alkoxycarboxamido,
- 30 alkylamidocarbonylamido, arylamidocarbonylamido, carboalkoxyalkyl, carboalkoxyalkenyl, carboxamido, carboxamidoalkyl, and cyano;

$R_5$  and  $R_6$  are optionally taken together to form a ring selected from the group consisting of a cycloalkenyl ring having 5 through 8 members, a partially

saturated heterocyclyl ring having 5 through 8 members, a heteroaryl ring having 5 or 6 members, and an aryl ring, wherein said cycloalkenyl ring, said partially saturated heterocyclyl ring, said heteroaryl ring, and said aryl are optionally substituted by one or more substituents selected from the group

- 5 consisting of  $R_{10}$ ,  $R_{11}$ , and  $R_{12}$ ;

- 10  $R_{10}$  and  $R_{11}$  are optionally taken together to form a ring selected from the group consisting of a cycloalkenyl ring having 5 through 8 members, a partially saturated heterocyclyl ring having 5 through 8 members, a heteroaryl ring having 5 or 6 members, and an aryl ring, wherein said cycloalkenyl ring, said partially saturated heterocyclyl ring, said heteroaryl ring, and said aryl is optionally substituted by one or more substituents selected from the group consisting of  $R_5$ ,  $R_6$ , and  $R_7$ ;

with the proviso that the groups  $R_5$  and  $R_6$  and the groups  $R_{10}$  and

$R_{11}$  are not simultaneously taken together to form two rings;

- 15 with the further proviso that at least one of  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ , and  $R_8$  is not hydrido or with the further proviso that at least one of  $R_9$ ,  $R_{10}$ ,  $R_{11}$ ,  $R_{12}$ , and  $R_{13}$  is not hydrido.

- 20 87. The method of Claim 86, wherein said compound is of Formula I, wherein at least one of  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ , and  $R_8$  that is not hydrido and at least one of  $R_9$ ,  $R_{10}$ ,  $R_{11}$ ,  $R_{12}$ , and  $R_{13}$  that is not hydrido.

- 25 88. The method of Claim 87, wherein said compound is of Formula I, wherein;  
n is 1 or 2;



- $R_1$  is haloalkyl or haloalkoxyalkyl with the proviso that  $R_1$  is selected to have the highest Cahn-Ingold-Prelog stereochemical system ranking of said three groups bonded to the hydroxy-substituted carbon to which  $R_1$  and  $R_2$  are attached in said fragment of the Formula I and with the further proviso that said haloalkyl has two or more halo substituents;

$R_2$  is hydrido;

$R_3$  is hydrido;

$R_4$ ,  $R_8$ ,  $R_9$ , and  $R_{13}$  are independently hydrido or halo;

- $R_5$ ,  $R_6$ ,  $R_7$ ,  $R_{10}$ ,  $R_{11}$ , and  $R_{12}$  are independently selected from the
- 10 group consisting of hydrido, perhaloaryloxy, N-aryl-N-alkylamino, heterocyclylalkoxy, heterocyclylthio, hydroxyalkoxy, carboxamidoalkoxy, alkoxy, carbonylalkoxy, alkoxy, carbonylalkenyloxy, aralkenylalkoxy, aralkenyl, N-arylcarboxamidoalkoxy, cycloalkylcarbonyl, cyanoalkoxy, heterocyclylcarbonyl, heteroaralkoxy, heterocyclyloxy, aralkylaryl, aralkyl, haloalkylthio, alkoxy, cycloalkoxy, cycloalkylalkoxy, alkylamino, alkylthio,
- 15 arylamino, arylthio, arylsulfonyl, heteroarylthio, heteroarylsulfonyl, aroyl, alkyl, cycloalkyl, cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl, hydroxyhaloalkoxy, aryl, aryloxy, aralkoxy, saturated heterocyclyl, heteroaryl, heteroaryloxyalkyl, and heteroaryloxy;
- 20 with the proviso that at least one of  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ , and  $R_8$  is not hydrido and with the further proviso that at least one of  $R_9$ ,  $R_{10}$ ,  $R_{11}$ ,  $R_{12}$ , and  $R_{13}$  is not hydrido.

- 25 89. The method of Claim 88, wherein said compound is of Formula I, wherein;
- $n$  is 1;
- $R_1$  is selected from the group consisting of trifluoromethyl,

1,1,2,2-tetrafluoroethoxymethyl, trifluoromethoxymethyl, difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

R<sub>2</sub> is hydrido;

R<sub>3</sub> is hydrido;

5 R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently hydrido or fluoro;

R<sub>5</sub> and R<sub>10</sub> are independently selected from the group consisting of

- 4-aminophenoxy, benzoyl, benzyl, benzyloxy, 5-bromo-2-fluorophenoxy, 4-bromo-3-fluorophenoxy, 4-bromo-2-nitrophenoxy, 3-bromobenzyloxy, 4-bromobenzyloxy, 4-bromophenoxy, 5-bromopyrid-2-yloxy,
- 10 4-butoxyphenoxy, chloro, 3-chlorobenzyl, 2-chlorophenoxy, 4-chlorophenoxy, 4-chloro-3-ethylphenoxy, 3-chloro-4-fluorobenzyl, 3-chloro-4-fluorophenyl, 3-chloro-2-fluorobenzyloxy, 3-chlorobenzyloxy, 4-chlorobenzyloxy, 4-chloro-3-methylphenoxy, 2-chloro-4-fluorophenoxy, 4-chloro-2-fluorophenoxy, 4-chlorophenoxy, 3-chloro-4-ethylphenoxy,
- 15 3-chloro-4-methylphenoxy, 3-chloro-4-fluorophenoxy, 4-chloro-3-fluorophenoxy, 4-chlorophenylamino, 5-chloropyrid-3-yloxy, 2-cyanopyrid-3-yloxy, 4-cyanophenoxy, cyclobutoxy, cyclobutyl, cyclohexoxy, cyclohexylmethoxy, cyclopentoxo, cyclopentyl, cyclopentylcarbonyl, cyclopropyl, cyclopropylmethoxy, cyclopropoxy,
- 20 2,3-dichlorophenoxy, 2,4-dichlorophenoxy, 2,4-dichlorophenyl, 3,5-dichlorophenyl, 3,5-dichlorobenzyl, 3,4-dichlorophenoxy, 3,4-difluorophenoxy, 2,3-difluorobenzyloxy, 2,4-difluorobenzyloxy, 3,4-difluorobenzyloxy, 2,5-difluorobenzyloxy, difluoromethoxy, 3,5-difluorophenoxy, 3,4-difluorophenyl, 3,5-difluorobenzyloxy,
- 25 4-difluoromethoxybenzyloxy, 2,3-difluorophenoxy, 2,4-difluorophenoxy, 2,5-difluorophenoxy, 3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy, 3,4-dimethylbenzyl, 3,4-dimethylbenzyloxy, 3,5-dimethylbenzyloxy, 2,2-dimethylpropoxy, 1,3-dioxan-2-yl, 1,4-dioxan-2-yl, 1,3-dioxolan-2-yl, ethoxy,
- 30 4-ethoxyphenoxy, 4-ethylbenzyloxy, 3-ethylphenoxy, 4-ethylaminophenoxy, 3-ethyl-5-methylphenoxy, fluoro, 4-fluoro-3-methylbenzyl, 4-fluoro-3-methylphenyl, 4-fluoro-3-methylbenzoyl, 4-fluorobenzyloxy, 2-fluoro-3-methylphenoxy, 3-fluoro-4-methylphenoxy,

- 3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,  
 2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,  
 4-fluoro-2-trifluoromethylbenzyloxy, 4-fluoro-3-trifluoromethylbenzyloxy,  
 2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,  
 5 2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,  
 4-fluoropyrid-2-yloxy, 2-furyl, 3-furyl, heptafluoropropyl,  
 1,1,1,3,3,3-hexafluoropropyl, 2-hydroxy-3,3,3-trifluoropropoxy,  
 3-iodobenzyloxy, isobutyl, isobutylamino, isobutoxy, 3-isoxazolyl,  
 4-isoxazolyl, 5-isoxazolyl, isopropoxy, isopropyl, 4-isopropylbenzyloxy,  
 10 3-isopropylphenoxy, 4-isopropylphenoxy, isopropylthio,  
 4-isopropyl-3-methylphenoxy, 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl,  
 3-methoxybenzyl, 4-methoxycarbonylbutoxy,  
 3-methoxycarbonylprop-2-en-yloxy, 4-methoxyphenyl,  
 3-methoxyphenylamino, 4-methoxyphenylamino, 3-methylbenzyloxy,  
 15 4-methylbenzyloxy, 3-methylphenoxy, 3-methyl-4-methylthiophenoxy,  
 4-methylphenoxy, 1-methylpropoxy, 2-methylpyrid-5-yloxy,  
 4-methylthiophenoxy, 2-naphthyl, 2-nitrophenoxy, 4-nitrophenoxy,  
 3-nitrophenyl, 4-nitrophenylthio, 2-oxazolyl, 4-oxazolyl, 5-oxazolyl,  
 pentafluoroethyl, pentafluoroethylthio, 2,2,3,3,3-pentafluoropropyl,  
 20 1,1,3,3,3-pentafluoropropyl, 1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino,  
 1-phenylethoxy, phenylsulfonyl, 4-propanoylphenoxy, propoxy,  
 4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, sec-butyl,  
 4-sec-butylphenoxy, tert-butoxy, 3-tert-butylphenoxy, 4-tert-butylphenoxy,  
 1,1,2,2-tetrafluoroethoxy, tetrahydrofuran-2-yl,  
 25 2-(5,6,7,8-tetrahydronaphthyl), thiazol-2-yl, thiazol-4-yl, thiazol-5-yl,  
 thiophen-2-yl, 2,3,5-trifluorobenzyloxy, 2,2,2-trifluoroethoxy,  
 2,2,2-trifluoroethyl, 3,3,3-trifluoro-2-hydroxypropyl, trifluoromethoxy,  
 3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,  
 3-trifluoromethoxyphenoxy, 4-trifluoromethoxyphenoxy, trifluoromethyl,  
 30 3-trifluoromethylbenzyloxy, 4-trifluoromethylbenzyloxy,  
 2,4-bis-trifluoromethylbenzyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,  
 3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzyloxy,  
 4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy,  
 3-trifluoromethylphenyl, 3-trifluoromethylthiobenzyloxy,  
 35 4-trifluoromethylthiobenzyloxy, 2,3,4-trifluorophenoxy,  
 2,3,4-trifluorophenyl, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,

3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,  
 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy,  
 3-trifluoromethylthiobenzoyloxy, and trifluoromethylthio;

- $R_6$  and  $R_{11}$  are independently selected from the group consisting of
- 5 chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy,  
 trifluoromethyl, and trifluoromethoxy;

$R_7$  and  $R_{12}$  are independently selected from the group consisting of  
 hydrido, fluoro, and trifluoromethyl.

10

90. The method of Claim 89, wherein said compound is of Formula  
 I, wherein;

$n$  is 1;

- $R_1$  is selected from the group consisting of trifluoromethyl,  
 15 difluoromethyl, chlorodifluoromethyl, and pentafluoroethyl;

$R_2$  is hydrido;

$R_3$  is hydrido;

$R_4$ ,  $R_8$ ,  $R_9$ , and  $R_{13}$  are independently hydrido or fluoro;


- $R_5$  and  $R_{10}$  are independently selected from the group consisting of
- 20 benzyloxy, 5-bromo-2-fluorophenoxy, 4-bromo-3-fluorophenoxy,  
 3-bromobenzyloxy, 4-bromophenoxy, 4-butoxyphenoxy, 3-chlorobenzyloxy,  
 2-chlorophenoxy, 4-chloro-3-ethylphenoxy, 4-chloro-3-methylphenoxy,  
 2-chloro-4-fluorophenoxy, 4-chloro-2-fluorophenoxy, 4-chlorophenoxy,  
 3-chloro-4-ethylphenoxy, 3-chloro-4-methylphenoxy,  
 25 3-chloro-4-fluorophenoxy, 4-chloro-3-fluorophenoxy,  
 4-chlorophenylamino, 5-chloropyrid-3-ylxy, cyclobutoxy, cyclobutyl,  
 cyclohexylmethoxy, cyclopentoxo, cyclopentyl, cyclopentylcarbonyl,  
 cyclopropylmethoxy, 2,3-dichlorophenoxy, 2,4-dichlorophenoxy,  
 2,4-dichlorophenyl, 3,5-dichlorophenyl, 3,5-dichlorobenzyl,  
 30 3,4-dichlorophenoxy, 3,4-difluorophenoxy, 2,3-difluorobenzyloxy,  
 3,5-difluorobenzyloxy, difluoromethoxy, 3,5-difluorophenoxy,

- 3,4-difluorophenyl, 2,3-difluorophenoxy, 2,4-difluorophenoxy,  
 2,5-difluorophenoxy, 3,5-dimethoxyphenoxy, 3-dimethylaminophenoxy,  
 3,4-dimethylbenzyloxy, 3,5-dimethylbenzyloxy, 3,5-dimethylphenoxy,  
 3,4-dimethylphenoxy, 1,3-dioxolan-2-yl, 4-ethylbenzyloxy,
- 5 3-ethylphenoxy, 4-ethylaminophenoxy, 3-ethyl-5-methylphenoxy,  
 4-fluoro-3-methylbenzyl, 4-fluorobenzyloxy, 2-fluoro-3-methylphenoxy,  
 3-fluoro-4-methylphenoxy, 3-fluorophenoxy, 3-fluoro-2-nitrophenoxy,  
 2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,  
 2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,
- 10 2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy,  
 2-furyl, 3-furyl, heptafluoropropyl, 1,1,1,3,3,3-hexafluoropropyl,  
 2-hydroxy-3,3,3-trifluoropropoxy, isobutoxy, isobutyl, 3-isoxazolyl,  
 4-isoxazolyl, 5-isoxazolyl, isopropoxy, 4-isopropylbenzyloxy,  
 3-isopropylphenoxy, isopropylthio, 4-isopropyl-3-methylphenoxy,
- 15 3-isothiazolyl, 4-isothiazolyl, 5-isothiazolyl, 3-methoxybenzyl,  
 4-methoxyphenylamino, 3-methylbenzyloxy, 4-methylbenzyloxy,  
 3-methylphenoxy, 3-methyl-4-methylthiophenoxy, 4-methylphenoxy,  
 1-methylpropoxy, 2-methylpyrid-5-yloxy, 4-methylthiophenoxy,  
 2-naphthyl, 2-nitrophenoxy, 4-nitrophenoxy, 3-nitrophenyl, 2-oxazolyl,
- 20 4-oxazolyl, 5-oxazolyl, pentafluoroethyl, pentafluoroethylthio,  
 2,2,3,3,3-pentafluoropropyl, 1,1,3,3,3-pentafluoropropyl,  
 1,1,2,2,3-pentafluoropropyl, phenoxy, phenylamino, 1-phenylethoxy,  
 4-propylphenoxy, 4-propoxyphenoxy, thiophen-3-yl, tert-butoxy,  
 3-tert-butylphenoxy, 4-tert-butylphenoxy, 1,1,2,2-tetrafluoroethoxy,
- 25 tetrahydrofuran-2-yl, 2-(5,6,7,8-tetrahydronaphthyl), thiazol-2-yl,  
 thiazol-4-yl, thiazol-5-yl, thiophen-2-yl, 2,2,2-trifluoroethoxy,  
 2,2,2-trifluoroethyl, 3,3,3-trifluoro-2-hydroxypropyl, trifluoromethoxy,  
 3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,  
 4-trifluoromethoxyphenoxy, 3-trifluoromethoxyphenoxy, trifluoromethyl,
- 30 3-trifluoromethylbenzyloxy, 1,1-bis-trifluoromethyl-1-hydroxymethyl,  
 3-trifluoromethylbenzyl, 3,5-bis-trifluoromethylbenzyloxy,  
 4-trifluoromethylphenoxy, 3-trifluoromethylphenoxy, 3-trifluoromethylphenyl,  
 2,3,4-trifluorophenoxy, 2,3,5-trifluorophenoxy, 3,4,5-trimethylphenoxy,  
 3-difluoromethoxyphenoxy, 3-pentafluoroethylphenoxy,
- 35 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 3-trifluoromethylthiophenoxy,  
 3-trifluoromethylthiobenzyloxy, and trifluoromethylthio;

$R_6$  and  $R_{11}$  are independently selected from the group consisting of chloro, fluoro, hydrido, pentafluoroethyl, 1,1,2,2-tetrafluoroethoxy, and trifluoromethyl;

$R_7$  and  $R_{12}$  are independently selected from the group consisting of  
5 hydrido, fluoro, and trifluoromethyl.

91. The method of Claim 88, wherein said compound is of Formula II:



10

wherein;

$R_1$  is haloalkyl;

$R_4$ ,  $R_8$ ,  $R_9$ , and  $R_{13}$  are independently hydrido or halo;

$R_5$ ,  $R_6$ ,  $R_7$ ,  $R_{10}$ ,  $R_{11}$ , and  $R_{12}$  are independently selected from the  
15 group consisting of hydrido, perhaloaryloxy, N-aryl-N-alkylamino, heterocyclalkoxy, heterocyclthio, hydroxyalkoxy, aralkanoylalkoxy, aralkenoyl, cycloalkylcarbonyl, cyanoalkoxy, heterocyclcarbonyl, heteroaralkoxy, aralkyl, haloalkylthio, alkoxy, cycloalkoxy, cycloalkylalkoxy, alkylthio, arylamino, arylthio, arylsulfonyl, aroyl, alkyl, cycloalkyl,  
20 cycloalkylalkanoyl, halo, haloalkyl, haloalkoxy, hydroxyhaloalkyl,

hydroxyhaloalkoxy, aryl, aryloxy, aralkoxy, heteroaryl, heteroaryloxyalkyl, and heteroaryloxy;

with the proviso that at least one of R<sub>4</sub>, R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub>, and R<sub>8</sub> is not

hydrido and with the further proviso that at least one of R<sub>9</sub>, R<sub>10</sub>, R<sub>11</sub>, R<sub>12</sub>, and

5 R<sub>13</sub> is not hydrido.

92. The method of Claim 91, wherein said compound is of Formula II, wherein;

10 R<sub>1</sub> is trifluoromethyl;

R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently hydrido or fluoro;

R<sub>5</sub> is selected from the group consisting of 5-bromo-2-fluorophenoxy,

4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy,  
3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy,  
15 3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy,  
4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy,  
3-pentafluoroethylphenoxy, 3-tert-butylphenoxy,  
3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyl)oxy),  
3-trifluoromethoxybenzyloxy, 3-trifluoromethoxyphenoxy,  
20 3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

R<sub>10</sub> is selected from the group consisting of cyclopentyl, 1,1,2,2-tetrafluoroethoxy, 2-furyl, 1,1-bis-trifluoromethyl-1-hydroxymethyl, pentafluoroethyl, trifluoromethoxy, trifluoromethyl, and trifluoromethylthio;

R<sub>6</sub>, R<sub>7</sub>, R<sub>11</sub>, and R<sub>12</sub> are independently hydrido or fluoro.

25

93. The method of Claim 92, wherein said compound is of Formula II, wherein;

R<sub>1</sub> is trifluoromethyl;

R<sub>4</sub>, R<sub>8</sub>, R<sub>9</sub>, and R<sub>13</sub> are independently hydrido or fluoro;


- R<sub>5</sub> is selected from the group consisting of 5-bromo-2-fluorophenoxy,  
 4-chloro-3-ethylphenoxy, 2,3-dichlorophenoxy, 3,4-dichlorophenoxy,  
 3-difluoromethoxyphenoxy, 3,5-dimethylphenoxy, 3,4-dimethylphenoxy,  
 5 3-ethylphenoxy, 3-ethyl-5-methylphenoxy, 4-fluoro-3-methylphenoxy,  
 4-fluorophenoxy, 3-isopropylphenoxy, 3-methylphenoxy,  
 3-pentafluoroethylphenoxy, 3-tert-butylphenoxy,  
 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, 2-(5,6,7,8-tetrahydronaphthyl-1-yl)oxy,  
 3-trifluoromethoxybenzyloxy, 3-trifluoromethoxyphenoxy,  
 10 3-trifluoromethylbenzyloxy, and 3-trifluoromethylthiophenoxy;

R<sub>10</sub> is selected from the group consisting of 1,1,2,2-tetrafluoroethoxy,  
 pentafluoroethyl, and trifluoromethyl;

R<sub>6</sub>, R<sub>7</sub>, R<sub>11</sub>, and R<sub>12</sub> are independently hydrido or fluoro.

15

94. The method of Claim 86, wherein said compound is a  
 compound of Formula III:



(III)

- wherein R<sub>5</sub> and R<sub>10</sub> are selected to form a compound selected from the group  
 20 consisting of;

R<sub>5</sub> is 3-isopropylphenoxy and R<sub>10</sub> is pentafluoroethyl;

R<sub>5</sub> is 2,3-dichlorophenoxy and R<sub>10</sub> is pentafluoroethyl;



- $R_5$  is 3-trifluoromethoxyphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-fluorophenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-methylphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 2-fluoro-5-bromophenoxy and  $R_{10}$  is pentafluoroethyl;
- 5  $R_5$  is 4-chloro-3-ethylphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-ethylphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3,5-dimethylphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-*t*-butylphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-fluoro-3-methylphenoxy and  $R_{10}$  is pentafluoroethyl;
- 10  $R_5$  is 3,4-dichlorophenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 5,6,7,8-tetrahydro-2-naphthoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-difluoromethoxyphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-dimethylaminophenoxy and  $R_{10}$  is pentafluoroethyl;
- 15  $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-(2-furyl)phenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-aminophenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is pentafluoroethyl;
- 20  $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-trifluoromethylphenoxy and  $R_{10}$  is pentafluoroethyl;

- $R_5$  is 2-nitrophenoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-trifluoromethoxybenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-trifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3,5-difluorobenzyloxy and  $R_{10}$  is pentafluoroethyl;
- 5  $R_5$  is cyclohexylmethyleneoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is benzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-trifluoromethoxybenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-ethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;
- 10  $R_5$  is isopropoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is isopropylthio and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is cyclopentoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is pentafluoroethyl;
- 15  $R_5$  is 3-trifluoromethylthiobenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3,4-dimethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-isopropylbenzyloxy and  $R_{10}$  is pentafluoroethyl;
- 20  $R_5$  is 1-phenylethoxy and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-fluoro-3-methylbenzoyl and  $R_{10}$  is pentafluoroethyl;

- $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-methoxyphenylamino and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 4-nitrophenylthio and  $R_{10}$  is pentafluoroethyl;
- $R_5$  is 3-isopropylphenoxy and  $R_{10}$  is trifluoromethyl;
- 5  $R_5$  is 2,3-dichlorophenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-trifluoromethoxyphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-fluorophenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-methylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 2-fluoro-5-bromophenoxy and  $R_{10}$  is trifluoromethyl;
- 10  $R_5$  is 4-chloro-3-ethylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-ethylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3,5-dimethylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-*t*-butylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-fluoro-3-methylphenoxy and  $R_{10}$  is trifluoromethyl;
- 15  $R_5$  is 3,4-dichlorophenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 5,6,7,8-tetrahydro-2-naphthoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-difluoromethoxyphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-dimethylaminophenoxy and  $R_{10}$  is trifluoromethyl;
- 20  $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-(2-furyl)phenoxy and  $R_{10}$  is trifluoromethyl;

- $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-aminophenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is trifluoromethyl;
- 5  $R_5$  is 3-trifluoromethylphenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 2-nitrophenoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-trifluoromethoxybenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3,5-difluorobenzyloxy and  $R_{10}$  is trifluoromethyl;
- 10  $R_5$  is cyclohexylmethyleneoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is benzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-trifluoromethoxybenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-ethylbenzyloxy and  $R_{10}$  is trifluoromethyl;
- 15  $R_5$  is isopropoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is trifluoromethyl;
- $R_5$  is isopropylthio and  $R_{10}$  is trifluoromethyl;
- $R_5$  is cyclopentoxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is trifluoromethyl;
- 20  $R_5$  is 3-trifluoromethylthiobenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3,4-dimethylbenzyloxy and  $R_{10}$  is trifluoromethyl;

- $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-isopropylbenzyloxy and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 1-phenylethoxy and  $R_{10}$  is trifluoromethyl;
- 5  $R_5$  is 4-fluoro-3-methylbenzoyl and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-methoxyphenylamino and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 4-nitrophenylthio and  $R_{10}$  is trifluoromethyl;
- $R_5$  is 3-isopropylphenoxy and  $R_{10}$  is trifluoromethoxy;
- 10  $R_5$  is 2,3-dichlorophenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-trifluoromethoxyphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-fluorophenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-methylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 2-fluoro-5-bromophenoxy and  $R_{10}$  is trifluoromethoxy;
- 15  $R_5$  is 4-chloro-3-ethylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-ethylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3,5-dimethylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-*t*-butylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-fluoro-3-methylphenoxy and  $R_{10}$  is trifluoromethoxy;
- 20  $R_5$  is 3,4-dichlorophenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 5,6,7,8-tetrahydro-2-naphthoxy and  $R_{10}$  is trifluoromethoxy;

- $R_5$  is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-difluoromethoxyphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-dimethylaminophenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is trifluoromethoxy;
- 5  $R_5$  is 3-(2-furyl)phenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-aminophenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is trifluoromethoxy;
- 10  $R_5$  is 3-trifluoromethylphenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 2-nitrophenoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-trifluoromethoxybenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3,5-difluorobenzyloxy and  $R_{10}$  is trifluoromethoxy;
- 15  $R_5$  is cyclohexylmethyleneoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is benzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-trifluoromethoxybenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-ethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;
- 20  $R_5$  is isopropoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is trifluoromethoxy;

- $R_5$  is isopropylthio and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is cyclopentoxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-trifluoromethylthiobenzyloxy and  $R_{10}$  is trifluoromethoxy;
- 5  $R_5$  is 3,4-dimethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-isopropylbenzyloxy and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 1-phenylethoxy and  $R_{10}$  is trifluoromethoxy;
- 10  $R_5$  is 4-fluoro-3-methylbenzoyl and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-methoxyphenylamino and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 4-nitrophenylthio and  $R_{10}$  is trifluoromethoxy;
- $R_5$  is 3-isopropylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 15  $R_5$  is 2,3-dichlorophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-trifluoromethoxyphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 4-fluorophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 4-methylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 2-fluoro-5-bromophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 20  $R_5$  is 4-chloro-3-ethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-ethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;

- $R_5$  is 3,5-dimethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-*t*-butylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 4-fluoro-3-methylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3,4-dichlorophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 5  $R_5$  is 5,6,7,8-tetrahydro-2-naphthoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-(1,1,2,2-tetrafluoroethoxy)phenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-difluoromethoxyphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-dimethylaminophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 10  $R_5$  is 3-cyclopropylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-(2-furyl)phenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-pentafluoroethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 4-aminophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3,4,5-trimethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 15  $R_5$  is 4-propoxyphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-trifluoromethylphenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 2-nitrophenoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-trifluoromethoxybenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-trifluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 20  $R_5$  is 3,5-difluorobenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is cyclohexylmethyleneoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is benzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;



- $R_5$  is 3,5-ditrifluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 4-trifluoromethoxybenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 4-ethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is isopropoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 5  $R_5$  is 3-trifluoromethylbenzyl and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is isopropylthio and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is cyclopentoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-chloro-5-pyridinyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-trifluoromethylthiobenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 10  $R_5$  is 3,4-dimethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 2-fluoro-3-trifluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-fluoro-5-trifluoromethylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- 15  $R_5$  is 4-isopropylbenzyloxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 1-phenylethoxy and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 4-fluoro-3-methylbenzoyl and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 3-trifluoromethylphenyl and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy;
- $R_5$  is 4-methoxyphenylamino and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy; and
- 20  $R_5$  is 4-nitrophenylthio and  $R_{10}$  is 1,1,2,2-tetrafluoroethoxy.

95. The method of Claim 86 further characterized by treating coronary artery disease in a subject by administering a therapeutically effective

amount of a compound of Claim 86 or a pharmaceutically acceptable salt thereof.

- 5           96.     The method of Claim 86 further characterized by preventing coronary artery disease in a subject by administering a therapeutically effective amount of a compound of Claim 86 or a pharmaceutically acceptable salt thereof.

10

          97.     The method of Claim 86 further characterized by preventing cerebral vascular accident (CVA) in a subject by administering a therapeutically effective amount of a compound of Claim 86 or a pharmaceutically acceptable salt thereof.

15

          98.     The method of Claim 86 further characterized by treating or preventing dyslipidemia in a subject by administering a therapeutically effective amount of a compound of Claim 86 or a pharmaceutically acceptable salt thereof.

20

**(R)-Chiral Halogenated Substituted N,N-Bis-Phenyl  
Aminoalcohol Compounds Useful for Inhibiting Cholesteryl Ester  
Transfer Protein Activity**

5

Abstract

The invention relates to substituted aryl and heteroaryl (R)-Chiral  
Halogenated 1-Substitutedamino-(n+1)-Alkanol compounds useful as inhibitors of  
cholesteryl ester transfer protein (CETP; plasma lipid transfer protein-I) and  
10 compounds, compositions and methods for treating atherosclerosis and other  
coronary artery diseases. Novel high yield, stereoselective processes for the  
preparation of the chiral substituted alkanol compounds from chiral and achiral  
intermediates are described. Preferred (R)-Chiral 1-Substitutedamino-(n+1)-  
Alkanol compounds are substituted (R)-Chiral N,N-bis-phenyl aminoalcohols. A  
15 preferred specific (R)-Chiral N,N-bis-phenyl aminoalcohol is the compound:

